## WHAT IS CLAIMED IS:

5

10

1. A composition for treating acne comprising:

an anti-inflammatory agent combined with a second agent that stimulates the production of an enzyme which digests a cementing substance contained within epidermis skin.

- 2. The composition as defined in Claim 1 wherein the anti-inflammatory agent is selected from the group consisting of curcumin, polyphenols and corticosteriods.
- 3. The composition as defined in Claim 1 wherein said second agent is from the group consisting of citric acid, ascorbic acid, azelaic acid, glycolic acid, acetic acid and hydroxy acids.
  - 4. The composition as defined in Claim 1 wherein the amount of anti-inflammatory agent is within the range of .0001 percent to 10 percent by volume.
- 5. The composition as defined in Claim 1 wherein said second agent is added sufficiently to said composition to obtain a pH of between 4.5 to 5.5.

6. A composition for treating acne comprising the following ingredients: water-60 to 85 percent by volume, alcohol-5 to 30 percent by volume, cellulose-0.1 to 10 percent by volume, urea-0.1 to 5 percent by volume, carbomer-0.1 to 5 percent by volume, curcumin-.0001 to 10 percent by volume; and add citric acid until the overall pH is within the range of 4.5 and 5.5.

5

10

15

7. A medicine for treating acne comprising the following:

an orally administered Vitamin A in the dosage of 150,000 I.U. to 500,000 I.U. daily combined with a topical gel composition of an anti-inflammatory agent combined with a second agent that stimulates the production of an enzyme which digests a cementing substance contained within epidermis skin.

- 8. The medicine is defined in Claim 7 wherein the anti-inflammatory agent is selected from the group consisting of curcumin, polyphenols and corticosteriods.
- 9. The medicine as defined in Claim 7 wherein said second agent is from the group consisting of citric acid, ascorbic acid, azelaic acid, glycolic acid, acetic acid and hydroxy acids.
- 10. The medicine as defined in Claim 7 wherein the amount of anti-inflammatory agent is within the range of .0001 percent to 10 percent by volume.

11. The medicine as defined in Claim 7 wherein said second agent is added sufficiently to said composition to obtain a pH of between 4.5 to 5.5.